


Salvage at SWP and CVP intakes

Randall Brown
Calfed



Relative species contribution to 2003 annual salvage at SWP.




Figure 3. Relative species contribution to 2003 annual salvage at CVP.




Figure 4. Proportion of threadfin shad in total salvage at SWP and CVP.




Figure 5. Monthly fish salvage density in 2003 at SWP and CVP.




Figure 6. Annual delta smelt salvage at SWP and CVP.




Figure 8. Annual chinook salmon salvage at SWP and CVP




Figure 6. Monthly delta smelt salvage at TFCF in 2003.






Figure 9. Percent of chinook salmon runs in 2003 salvage at SWP and CVP. Race determined solely by length.


OBSERVED CHINOOK SALVAGE AT THE SWP & CVP DELTA FISH FACILITIES 8/1/04 THROUGH 6/05/05



OBSERVED CHINOOK SALVAGE AT THE SWP & CVP DELTA FISH FACILITIES 8/1/98 THROUGH 7/31/99



FRY / SMOLT CHINOOK LOSS AT THE DELTA FISH FACILITIES 01 DEC 2004 THROUGH 12 JUN 2005






Figure 11. Annual SWP and CVP Steelhead Salvage




Figure 12. Monthly salvage of steelhead at SWP and CVP in 2003.




Figure 13. Annual striped bass salvage at SWP and CVP.




Figure 14. Monthly salvage of striped bass at SWP and CVP in 2003.




Figure 15. Annual American shad salvage at SWP and CVP.




Figure 16. Annual splittail salvage at SWP and CVP. Columns for 1986, 1995, and 1998 were truncated for scale considerations.